



SEMA FEATURED PRODUCTS



www.exedyusa.com

NEW PRODUCT

EH06SD1

APPLICATIONS

- Ford Mustang GT 5.0L
2011-2015

DESCRIPTION

- Hyper Single Clutch Kit
- 23 Spline Getrag
Transmission, MT-82
- One piece lightweight forged
chromoly flywheel.

CLAMP LOAD

- 3597 lbs.

TORQUE RATING

- 909 ft/lbs.@flywheel
- 506 ft/lbs.@wheels

ADDITIONAL INFO

- Also fits BOSS 302
- CSC sold separately



NEW PRODUCT

GMR300

APPLICATIONS

- 26 Spline Tremec Transmission

DESCRIPTION

- Hyper Builders Series
- Triple Cerametallic Clutch

CLAMP LOAD


- 2653 lbs.

TORQUE RATING

- 1659 ft/lbs.@flywheel
- 923 ft/lbs.@wheels

ADDITIONAL INFO

- Does not include flywheel
 - Will require custom clutch actuation, bearing contact
45-50mm, bearing stroke
7.5mm



NEW PRODUCT

GMR200

APPLICATIONS

- 26 Spline Tremec Transmission

DESCRIPTION

- Hyper Builders Series
- Twin Cerametallic Clutch

CLAMP LOAD

- 2653 lbs.

TORQUE RATING

- 1106 ft/lbs.@flywheel
- 615 ft/lbs.@wheels

ADDITIONAL INFO

- Does not include flywheel
- Will require custom clutch actuation, bearing contact 45-50mm, bearing stroke 7.5mm



NEW PRODUCT


MBAK100

APPLICATIONS

- Mitsubishi
Lancer EVO 4/5/6/7 2.0L
8/96-2002
- Mitsubishi
Lancer EVO 8/MR 9 2.0L
2003-2007

DESCRIPTION

- Hyper Series Accessory Kit
- Includes:
Release Bearing,
Clutch Fork Stop,
Clutch Alignment Tool



NEW PRODUCT

01800

APPLICATIONS

- Jeep 4.0L
1997-2006

DESCRIPTION

- Stage 1 Clutch Kit

CLAMP LOAD

- 2473 lbs.

TORQUE RATING

- 417 ft/lbs.@flywheel
314 ft/lbs.@wheels

ADDITIONAL INFO

- Additional applications available



NEW PRODUCT

01950

APPLICATIONS

- Jeep 4.0L
1997-2006

DESCRIPTION

- Stage 2 Clutch Kit

CLAMP LOAD


- 2473 lbs.

TORQUE RATING

- 490 ft/lbs.@flywheel
374 ft/lbs.@wheels

ADDITIONAL INFO

- Additional applications available



NEW PRODUCT

HMG12SD

APPLICATIONS

- Acura NSX
1990-1996

DESCRIPTION

- Hyper Organic
Twin Disc Clutch Kit

CLAMP LOAD

- 1766 lbs.

TORQUE RATING

- 637 ft/lbs.@flywheel
- 425 ft/lbs.@wheels

ADDITIONAL INFO

- 200mm Disc diameter
- Reduced noise from organic sprung discs and strap drive configuration



NEW PRODUCT

16957/ 16957A

APPLICATIONS

- Toyota
FJ Cruiser 4.0L, 2007-2014
Tacoma 4.0L, 2005-2014
Tundra 4.0L, 2005-2014

DESCRIPTION

- Stage 2 Clutch Kit

CLAMP LOAD

- 2069 lbs.

TORQUE RATING

- 450 ft/lbs.@flywheel
- 360 ft/lbs.@wheels

ADDITIONAL INFO

- 16957A for Tundra only



NEW PRODUCT

10812

APPLICATIONS

- Mazda RX-8 1.3L
2003-07

DESCRIPTION

- Stage 1 Clutch Kit

CLAMP LOAD

- 2001 lbs.

TORQUE RATING

- 306 ft/lbs.@flywheel
- 232 ft/lbs.@wheels

ADDITIONAL INFO

- Supersedes 10803A
for the Mazda RX-8
application **ONLY**



NEW PRODUCT

05954XHD/ CRF500

APPLICATIONS

- Dodge 5.9L Diesel
2001-2004

DESCRIPTION

- Stage 2 Clutch Kit

CLAMP LOAD


- 4036 lbs.

TORQUE RATING

- 1336 ft/lbs.@flywheel
- 760 ft/lbs.@wheels

ADDITIONAL INFO

- Additional products
available for 2005+
Diesel models



NEW PRODUCT

GK01H/ GF502

APPLICATIONS

- GM/Chevy LS Applications
1997-2015

DESCRIPTION

- Stage 1 Clutch Kit

CLAMP LOAD


- 3372 lbs.

TORQUE RATING

- 622 ft/lbs.@flywheel
- 498 ft/lbs.@wheels

ADDITIONAL INFO

- 290mm disc
- Fits most LS applications
when incorporated with
matching EXEDY flywheel
- Stage 2 also available
GK01T



NEW PRODUCT

08806FW

APPLICATIONS

- Honda Civic SI 2.4L
2012 - Up

DESCRIPTION

- Stage 1 Clutch Kit
- Sport Kit w/Flywheel

CLAMP LOAD


- 1596 lbs.

TORQUE RATING

- 227 ft/lbs.@flywheel
182 ft/lbs.@wheels

ADDITIONAL INFO

- Clutch kit includes one piece chromoly lightweight flywheel
- Four pad disc option available



NEW PRODUCT

08951FW

APPLICATIONS

- Honda Civic SI 2.4L
2012 - Up

DESCRIPTION

- Stage 2 Clutch kit
- Sport Kit w/Flywheel

CLAMP LOAD

- 1596 lbs.

TORQUE RATING

- 280 ft/lbs.@flywheel
224 ft/lbs.@wheels

ADDITIONAL INFO

- Clutch kit includes one piece chromoly lightweight flywheel
- Four pad disc option available



NEW PRODUCT

MZK1012

APPLICATIONS

- Mazda 3 2.0L Sky Active
2012-2014

DESCRIPTION

- OE Clutch Kit



SPECIFIED
ORIGINAL
EQUIPMENT
WORLDWIDE

NEW PRODUCT

HCK1012

APPLICATIONS

- Acura TL AWD 3.7L
2010-2013

DESCRIPTION

- OE Replacement Cluth Kit

ADDITIONAL INFO

- Pedal effort increase when the clutch is worn
- L-PEC (Light Pedal Effort Clutch) +10%
Conventional Clutch +45%
- Pedal remains easy throughout clutch life.
- The change in torque capacity is minimal when the clutch is worn
- Light pedal effort, pedal effort change is minimal when the clutch becomes worn



SPECIFIED
ORIGINAL
EQUIPMENT
WORLDWIDE

NEW PRODUCT

EFK291HP2STL

APPLICATIONS

- 6R80 Transmission
Mustang 2011-15
F150 Raptor

DESCRIPTION

- High Performance Stage 2 Upgrade w/ Steels

TORQUE RATING

- Dependent on Tuning

ADDITIONAL INFO

- 1000+ RWHP
- 40% More Clutch Surface
- 40% More Heat Resistant
- Drop in Replacement



NEW PRODUCT

EFK108

APPLICATIONS

- 42RLE Transmission
4Spd Automatic
Jeep/Dodge RWD/4X4

DESCRIPTION

- HD Frictions

ADDITIONAL INFO

- MADE IN USA
- Engineered with premium high energy material to ensure optimum performance



NEW PRODUCT



NEW PRODUCT



NEW PRODUCT



