

INSTALLATION INSTRUCTIONS - INSO05


SHORT H-PIPES/X-PIPES

FOR USE WITH BBK PERFORMANCE FULL-LENGTH HEADERS

Part #: 1509, 1510, 1535, 1538, 1635, 1638, 1659, 1660, 1671, 1671, 1672, 1810, 1811 + more



SPECIAL TOOLS REQUIRED: No special tools required



It may be necessary to use some WD-40 to aid in removal of the stock midpipe. Due to the metal to rubber slide mount these units can be sticky.



IMPORTANT: All appropriate safety equipment and gear must be used during the installation of this or any BBK Performance products or any time you work on a vehicle.

BBK Performance accepts no responsibility for injuries or damage caused by or during the installation of this product.

UPDATED LAST: March 2019



BBK PERFORMANCE LLC / For any questions, email us: 3060 Performance Circle / TECH@BBKPERFORMANCE.COM Deland, FL 32724 /



FOLLOW THESE INSTRUCTIONS CAREFULLY TO ENSURE CORRECT FITMENT AND OPERATION

STEP 1

After installing your new BBK full-length headers, you can now install the matching short H-Pipe/X-Pipe by simply bolting it in place of the old H-Pipe Assembly.

It may be necessary to use some WD-40 to aid in removal of the stock midpipe. Due to the metal to rubber slide mount these units can be sticky.

STEP 2

Using the washers and nuts supplied with your full lengths stud kit, mount the front H-Pipe/X- Pipe flanges to the header collectors

STEP 3

Using the supplied hardware, bolt up the BBK H-Pipe/X-Pipe.

NOTE!!! Be sure to add a small amount of anti-seize to the top thread of each oxygen sensor using the supplied anti-seize packet. As you thread the oxygen sensor back into the part the anti-seize will spread evenly throughout the threads.

STEP 4

Reconnect the factory air tube if installing catalyst equipped pipes.



IMPORTANT: All appropriate safety equipment and gear must be used during the installation of this or any BBK Performance products or any time you work on a vehicle.

BBK Performance accepts no responsibility for injuries or damage caused by or during the installation of this product.

UPDATED LAST: March 2019

